




## HQ RIP V7.2 für Linotronic 260 300 330 530 560 von Highwater

 [to view the images, please click](#)

 [mehr Bilder, hier klicken.](#)

### HQ RIP V7.2 für Linotronic 260 300 330 530 560 von Highwater

XBROTKRUMENNAVIGATION  **GEBRAUCHTPRODUKT**

HQ RIP V7.2 für Linotronic 260,300,330,530,560 von Highwater

Lieferumfang:

Fujitsu Siemens PC

Windows 2000 Server Lizenz, 5 User

PCI Karte für Linotronic

Dongle HQ RIP V7.2 für Linotronic 260 300 330 530 560 von Highwater

NEW HighWater is now shipping Torrent RIP v7.2 which contains many new features ensuring that the Torrent RIP remains at the forefront of the latest RIP technology. These new features include: support for Intel Machintosh, built in imposition, JDF 2.0 functionality, native PDF 1.6, PDF/X-1a and PDF/X-3 support, and font emulation. For more information please go to the foot of this page and click on Download where you should find Making Waves Torrent v7.2. This is a PDF document that gives more details of this new release.

TRY BEFORE YOU BUY is available for Torrent v6 and v7 users to try options such as TrapPro. All the options specifically designed to enhance and improve the efficiency of the RIP can be tried free of charge; please contact our support department [support@highwater.co.uk](mailto:support@highwater.co.uk) for a password.

Torrent is based on the Harlequin PostScript Level 3 Language compatible interpreter technology and is fast, robust and efficient, providing sophisticated printer set-up and previewing capabilities together with advanced error handling and intelligent media control. Furthermore, it gives you complete control and management of all RIP, device and output processes, whether on Mac or PC.

In-RIP Simple Imposition

A 2-up and 4 -up simple imposition option, together with an imposition manager and much more. A PDF explaining this option is available in the download section.

### Try before you buy

Torrent users can evaluate options such as imposition, trapping, colour management, FM Screening, media saving and CIP3 before purchasing. Try Before You Buy is free, so users can take advantage of processing jobs, without a watermark and with no functional limitation, for a period of 45 days thus evaluating the RIPs many additional features at no cost.

Torrent v7 is JDF aware. The Torrent RIP now provides the ability to integrate into the latest JDF 2.0 compatible workflows with the purchase of additional software.

### More control for faster throughput

Torrent gives you optimum productivity by RIPing and outputting concurrently. RIPed pages can be imaged directly, or sent to a queue as compressed files and, as new jobs are being RIPed, the queued jobs are automatically scheduled and sent to your output device. Queue management allows jobs to be prioritised depending on urgency. In addition, once imaged, RIPed files can be held in a compressed form to be imaged again without the need for re-RIPing. Torrent automatically decompresses JPEG/CCITT compressed images prior to processing, thereby reducing print transmission times.

### Instant job acceptance

Torrents input buffer system allows immediate job acceptance. The rapid release of the job from the desktop leaves operators free to progress to the next job.

### Consistent colour separations

Torrent supports user-defined calibration tables to ensure precise output of colour separations, time after time.

### Intelligent media control

Torrents intelligent media controls help you to manage resources more efficiently. For example, the automatic page rotation feature finds the most suitable page-orientation to fit across the film width to give optimal plate or film usage.

### Easy to Use

Torrent is now easier to use than ever. Its new toolbar gives quick access to actions previously available only from menus, and a status area shows whether the RIP is idle, waiting for a job, or interpreting a job. Other changes include enhancements to the Page Setup Manager, the Input Manager, and the Multiple Cassette Manager. All HighWater Torrent Plugins work with the Torrent RIP; however it is important to note the version number of the Torrent

RIP to ensure compatibility with the plugins. A complete list is available from Download at the foot of this page.

Features & Benefits

Specification

PDF

Catalogue

Press Releases

Features and Benefits

Moiré-free colour separations.

Over 32,000 grey levels internally.

On-screen colour previewing.

Plugins available for driving a variety of output devices.

Can publish many virtual printers over the network.

Supports composite fonts.

Instant job acceptance.

Accepts pre-separated and composite files.

Consistent colour separations.

Automatic file decompression.

Sophisticated media control.

Can RIP and output simultaneously.

Handles complex jobs.

Allows the use of page features.

Helps avoid data-underrun.

Various options available including Simple Imposition, TrapPro and Harlequin Dispersed Screening (HDS).

Torrent Options

Watermark RIP - You can now evaluate our popular Torrent ScriptWorks-based RIP - we have got a fully-functional Torrent Watermark RIP which you can try free for a whole ninety days (it will print a watermark over all output). You can also try the following options for free:

TrapPro - allows in-RIP trapping (See separate product page).

Simple Imposition - in-RIP 2-up and 4-up automatic imposition.

- In-RIP Imposition option that is an extension of the page setup function
- Offers a starting point for many production requirements in the 2- and 4-up applications
- Automatic step and repeat fills the user defined plate with as many copies of a single page as will fit eliminating manual planning steps.
- The N-up option, in both single and 2 sided options, provides automatic media saving by ganging together as many pages from a single job as will fit on the defined sheet, improving efficiency.
- It is also ideally suited where different output devices may be used for proofing versus final output where separate imposition schemes are required.

## HDS

Harlequin Dispersed Screening is Harlequins Frequency Modulation (FM) screening technology. HDS produces no moiré, has better definition than conventional screening, and registration is less critical. HDS also has a visually pleasing screen structure and is generally more printable than other FM screens. HDS is intended for use with a wide range of printing processes.

## HCS

Harlequin Chain Screening (HCS) uses a long ratio elliptical dot and when used for process colour separations the angles are 60 degrees apart rather than the more common 30 degrees apart. This gives an overall triangular pattern and produces a very fine rosette structure.

## HMS

Harlequin Micro Screening (HMS) uses a Respi screen structure to allow greater highlight gradation even at high screen rulings. It does this by using half the nominal screen between 0 and 5 dot area, and between 95 and 100, and the nominal screen ruling between 20 and 80 dot area. Between 5 and 20, and between 80 and 95, there is a smooth transition between these two screening patterns.

## ColourPro

The Harlequin ICC Profile Processor ColourPro lets you install and use any ICC profiles to set up colour workflows for your Torrent RIP. These ICC profiles may be produced by OEMs, third parties, or end users with third party and characterization tools. Once you have installed the ICC profiles in your system, you can use any combination of them to produce customized workflows. Torrent can also use an ICC profile embedded in an image. See download section for a PDF giving more details.

## CIP3

The CIP3 plugin lets Torrent produce Print Production File (PPF) files. PPF files contain information about print jobs including administrative data, information about inks and register marks, and comments and preview images, allowing the automatic pre-setting of press ink ducts on compatible presses. With this option you can use the same RIP that generates your film or plates to create CIP3 PPF files, enabling ink-keys to be set quickly and easily on the press. CIP3 file generation is as easy and automatic as generating the plates and films themselves, and using those files with your press can reduce make-ready times and wastage, and remove the need for plate scanners.

#### TIFF/IT

This allows you to print TIFF/IT files.

#### ProofReady Plugins

Allow colour-managed proofs to be output to a range of inkjet printers.

Unsere Artikelnummer für das Gebrauchtprodukt HQ RIP V7.2 für Linotronic 260 300 330 530 560 von Highwater ist: 35110.

Diesen Text in englisch [HQ RIP V7.2 für Linotronic 260 300 330 530 560 von Highwater](#).

---

#### Kontakt:

Sollten Sie uns per E-mail kontaktieren, wird bei dem nachfolgenden Link die Artikel-/ERP-Nummer automatisch in die Betreffzeile eingefügt.

Bei Anfragen per Fax geben Sie bitte auch unbedingt die Artikel-/ERP-Nummer an.

#### Ihr persönlicher Ansprechpartner/Kontaktformular:

Tim Brakensiek, [Kontaktformular für HQ RIP V7.2 für Linotronic 260 300 330 530 560 von Highwater](#) 

last Update: 02.05.2009



---

Kunden, die sich "HQ RIP V7.2 für Linotronic 260 300 330 530 560 von Highwater" angesehen haben, haben sich auch folgende Produkte angesehen:

- [AGFA 16 BIT PCI Interface](#)
- [AGFA PCI Interface](#)
- [AGFA POLARIS PCI Interface](#)
- [APPLETALK PROTOCOL FOR WINDOWS XP PASSWORD FULL RES](#)
- [APPLETALK PROTOCOL FOR WINDOWS XP PASSWORD LOW RES](#)
- [AUTOLOGIC 3850 PCI Interface](#)
- [Barcode Plate Requeue](#)
- [Barcode Proof Approval](#)
- [C+B PARALLEL TO SUPERPRO PARALLEL dongle](#)
- [C+B PARALLEL TO USB Dongle](#)
- [CIP3 PASSWORD](#)
- [COLOURPRO LOW RES PASSWORD](#)
- [COLOURPRO FULL RES PASSWORD](#)
- [ECRM 10m CABLE](#)
- [ECRM PCI Interface](#)
- [ENABLER FOR C+B PARALLEL dongle](#)
- [EXXTRA PCI Interface](#)
- [HDS \(HIGH\) SCREENING PASSWORD](#)
- [HEDS 1&2 BIT](#)
- [HERKULES PCI Interface](#)
- [High Water Quickflow](#)
- [HIGHWATER PC FOR STAND-ALONE PROOFREADY, PPPS](#)
- [HIGHWATER PC FOR PYTHON](#)
- [HIGHWATER PC FOR TORRENTconnect, O2 OUTPUT CONTROLLER, INKMONITOR](#)
- [HO RIP V7.2 für Linotronic 260 300 330 530 560 von Highwater](#)
- [HW PRINT - COLOUR SIGNATURED RIP](#)
- [HW PRINT - COLOUR PLUGIN](#)
- [HW PRINT - MONO PLUGIN](#)
- [HW PRINT - MONO SIGNATURED RIP](#)
- [HW ROAM INTEL](#)

- InkMonitor Light
- InkMonitor Pro PLUGIN
- LINOTYPE 630 PCI Interface
- LINOTYPE PCI Interface
- MAC Eve3 TO MAC SENTINEL USB dongle
- MICRO TORRENT UPGRADE FROM V6 TO V7
- MICRO TORRENT RIP LOW RES (1500dpi max)
- MICRO TORRENT UPGRADE FROM V5 TO V6
- Pixel Proof Print Server - Intel
- PRIMESETTER LVDS PCI Interface
- PRIMESETTER TAXI PCI Interface
- TORRENT ProofReady VSD Epson 7600
- TORRENT ProofReady Epson 3000
- Q2 OUTPUT CONTROLLER - HERKULES TAXI
- Q2 OUTPUT CONTROLLER
- Q2 OUTPUT CONTROLLER - LOAD BALANCER OPTION
- Q2 OUTPUT CONTROLLER - SIGNASETTER TAXI
- QUASAR PCI Interface
- SCANGRAPHIC FPI PCI Interface
- SCANGRAPHIC PCI Interface
- SCANTEXT 2030/2051 Adapter Kit
- SCITEX TYPE 1 PCI Interface
- SCITEX TYPE 2 PCI Interface
- SCREEN DT-R & MT-R PCI Interface
- SCREEN FT-R PCI Interface
- SIGNASETTER PCI Interface
- 2-UP SIMPLE IMPOSITION PASSWORD
- TIFF-IT IN PASSWORD
- TIFF-IT OUT PASSWORD
- TORRENT ProofReady VSD Epson 10600
- TORRENT ProofReady VSD Epson 9600
- TORRENT ProofReady VSD Epson 2200
- TORRENT ProofReady HP 1050/1055
- TORRENT ProofReady VSD Epson 10000
- TORRENT ProofReady VSD Epson 5500
- TORRENT ProofReady VSD Epson 2100
- TORRENT ProofReady VSD Epson 4000
- TORRENT ProofReady HP 2000/2500
- TORRENT ProofReady HP 3000/3500
- TORRENT ProofReady HP 5000 Colour Printer
- TORRENT ProofReady HP DesignJet 10/20/50
- TORRENT ProofReady HP DesignJet 120
- Torrent DI RIP (bundle product)
- Torrent DI RIP (software only)

- [GERMAN GUI FOR TORRENT RIP](#)
- [TORRENT MEDIA SAVING Rip](#)
- [TORRENT RIP TIMED DONGLE - 240 HOURS](#)
- [TORRENT UPGRADE FROM V6 TO V7](#)
- [TORRENTconnect AGFA 16 BIT Phoenix](#)
- [TORRENTconnect AGFA SelectSet, Accuset, Avantara](#)
- [TORRENTCONNECT ECRM Pelbox series, Mako, Sunfish](#)
- [TORRENTconnect EXXTRA Maxxima](#)
- [TORRENTconnect HERKULES for Herkules](#)
- [TORRENTCONNECT LINOTYPE Li2/Li5 Lino 200, 300, 500](#)
- [TORRENTconnect LINOTYPE 630 Li2/Li5 Lino 630](#)
- [TORRENTconnect PRIMESETTER \(LVDS\) rip](#)
- [TORRENTconnect PRIMESETTER \(TAXI\) Primesetter \(TAXI\)Rip](#)
- [TORRENTconnect QUASAR Rip](#)
- [TORRENTconnect SCANGRAPHIC Li2/Li5 Largo, Othello, Tempo](#)
- [TORRENTconnect SCANGRAPHIC FPI FPI Apollo, Futuro](#)
- [TORRENTconnect SCITEX TYPE 1 Dolev 200, 400](#)
- [TORRENTconnect SCITEX TYPE 2 Dolev 800, 4Press, 4News](#)
- [TORRENTconnect SCREEN DT-R & MT-R MT-R 1100/1120](#)
- [TORRENTconnect SCREEN FT-R FT-R 3035/3050](#)
- [TORRENTconnect SIGNASETTER for Signasetter Rip](#)
- [TORRENTconnect ULTRE Ultre 72.94.300.400.3000.4000](#)
- [TRAPPRO PASSWORD](#)
- [TORRENT RIP FULL RES](#)
- [ULTRE PCI Interface](#)
- [UNIVERSAL EMULATOR](#)
- [UPGRADE TRAPPROLITE TO TRAPPRO FOR V7 RIP](#)
- [TORRENT UPGRADE FROM V4 TO V6](#)
- [TORRENT UPGRADE FROM V5 TO V6](#)
- [Xitron Raster Blaster PCI Karte](#)
- [Xitron Raster Blaster PCI Karte](#)
- [Xitron Raster Blaster USB Dongle](#)
- [Xitron Raster Blaster USB Dongle + CD](#)

XFOOTERINFO

Angebotsbedingungen:

**Bitte kontaktieren Sie uns nach Möglichkeit nur über das Kontaktformular und auf jeden Fall nur ausschließlich dann wenn Sie Unternehmer sind.**

**Wir haben keinen Internet Shop. Um Spam zu vermeiden mussten wir ein bewährtes Validationsystem einführen. Das macht Ihnen vielleicht etwas mehr Arbeit aber dafür können wir uns auf unsere Aufgabe konzentrieren Ihnen schnell und zuverlässig ein durchdachtes Angebot zu unterbreiten. Wir geben telefonisch grundsätzlich keine Preise durch. Da wir täglich eine dreistellige Anzahl an Anfragen bekommen arbeiten bis zu 11 Personen in der Angebotserstellung. Angebote werden bei uns durch Menschen gefertigt. Die Beantwortung bei höherwertigen Produkten ist zweistufig, da jedes Angebot erst der Geschäftsleitung zur Freigabe vorgelegt wird. Ist der Artikel rot, ist er nicht mehr verfügbar und wir suchen jenen zum Ankauf. Wenn Sie in einem solchen Fall über das Kontaktformular sich mit uns in Verbindung setzen, merken wir Sie vor für den Fall, das der Artikel wieder vorrätig ist.**

**Jeder Vertrag kommt nur zu unseren AGB zu Stande.**

Jedes Angebot ist freibleibend. Irrtum, Änderungen und Zwischenverkauf vorbehalten.

Sie erhalten immer eine Rechnung mit ausgewiesener MwSt. die ausschließlich per Vorkasse oder in Bar bei Abholung zu zahlen ist. Wenn Sie sich bei paypal anmelden können Sie auch über Kreditkarte zahlen. Um zu Überprüfen, ob Sie als EU Mitglied die Waren mehrwertsteuerfrei importieren können, folgen Sie bitte dem Link:[VIES VAT number validation / MwSt.-Informationsaustauschsystem \(MIAS\) Validierung der MWSt.-Nummer](#) und prüfen dort, ob Ihre MwSt. ID Nummer erfolgreich validiert werden kann. Falls jene nicht erfolgreich validiert werden kann, fakturieren wir nur mit MwSt.



Besuchen Sie den neuen  
Marktplatz,  
für Prepress, Press und  
Postpress:  
[www.worldprintmarket.de](http://www.worldprintmarket.de)



Mit Matchflow-adjust wird ein PDF-Dokument über das Internet zur detaillierten inhaltlichen Prüfung und Kommentierung bereitgestellt. Auf diesem Dokument



Hier Angebot für FR1SX Firewire-Adapter anfordern.

Im Lieferumfang CD-ROM mit aktueller SilverFast AI Studio + HDR Demo-Version. Bitte geben Sie Ihren Scannertyp an. Wir



Datenblatt und ggf. Testbericht zu HQ RIP V7.2 für Linotronic 260 300 330 530 560 von Highwater als PDF downloaden.

Schaffen Sie Liquidität durch den Verkauf nicht mehr benötigter Maschinen.

Visit the new marketplace for prepress, press and postpress:  
[www.worldprintmarket.com](http://www.worldprintmarket.com)

X-Rite IntelliTrax System - automatisches spektrales Farbmesssystem für Bogen- und

Verpackungsdruckmaschinen gemäß PSO für Heidelberg, MAN Roland, KBA, Ryobi, Komori, Wifag, Mitsubishi. In 15 Sekunden scannen Sie den Druckkontrollstreifen und bekommen graphisch dargestellt, was Sie in welcher Zone ändern müssen um Ihren hinterlegten Standard z.B. PSO zu erreichen.

können alle Projektbeteiligten in Abhängigkeit von ihren jeweiligen Zugriffsrechten Kommentare und Änderungswünsche erfassen. Alle Anmerkungen werden in einer Datenbank gespeichert, so dass der gesamte Abstimmungsprozess jederzeit nachvollziehbar bleibt. Mit diesem System sparen Sie Proof und Kurierkosten und machen ggf. nur noch einen finalen Proof. Wir empfehlen eine flache PDF einzustellen, die aus den gängigen Workflow Systemen geschrieben werden kann z.B. AGFA Apogee, Heidelberg Prinect, Creo Prinergy, Di Plot, wenn diese Funktion freigeschaltet ist.

sind sicher, dass nur ein optimal gewarteter Linotype Hell/Heidelberg Chromagraph S3300/S3400, Nexscan F4100/F4200, Primescan 7100, 8200, 8400 und Tango/Tango XL sowie Topaz HighEnd Scanner Qualität bieten und Farbabweichungen im Delta E 1 Bereich erreicht nach Neuprofilierung. Deshalb werden wir Ihnen auch die Ersatzteile und die vorbeugende Wartung mit anbieten. Serviceverträge sind unter Umständen möglich. Nach einer Wartung führen wir die DIN VDE 701 Prüfung durch.

Diese Seite wurde erstellt mit [matchflow](#) und die PDF Version wurde freigegeben mit [matchflow-adust web2Print – webbrowserbasierte PDF Korrektur und PDF Annotation mit web2print Funktionen](#)

Sämtliche verwendeten Logos sind urheberrechtlich geschützt und gehören den jeweiligen Markeninhabern.

[Login](#) | [Registrieren für Newsletter](#) | [Impressum](#) | [AGB](#) | [Kontakt](#) | [Shop mit Preisen starten](#) | [Fernwartung initialisieren](#) | [Stocklist](#) | [Gesuche](#) |